

5 Using advanced visibility conditions

1 How to set a field's visibility based on more than one condition?

- Example 1: In this case we want to make end date visible if outcome is equal to options 3 or 4.
- Using the pipe character || as "or" gives the following code:

AEOUT == 3 || AEOUT == 4

· See screen shot to the right for details.

AESPID	Description of Adverse	Event 🖪 AETERM	
tart Date 🖪 AESTDAT	Outcome ACOUT (1) Fatal (2) Not resolved (3) Resolved (4) Resolved with sequ (98) Unknown	End Date 🗃 AEENDAT	AEENDAI Settings
PICG Solutions AB 2014 Terms of Ups - Privacy Pality Vedes:*** version 4115466.20666 (2015-03-11712.00 UTC)			on shared condition exhattes true (7) ASUZ 3 11 ASUZ 4 C Duplicate field Delete field

months after last dose on Day 10.

Adverse Events 🖬 🗚

2 How to display a question for a male / female subject only?

- Example 2: In our Eligibility form we only want to display the gender related questions to the relevant gender, in this case only males (1).
- The gender question (DMSEX) is collected in the Demographics (DM) form. This form is located under the start menu in the workflow which has visit ID "START".

Code: START.DM.DMSEX==1

Please remember that when referring to a variable in another form and visit you need to specify the IDs of the visit and form in front of the variable ID, separated with a dot.

not consistent with a postmenopausal condition, determination of subject eligibility will be at the discretion of the Principal Investigator following consultation with the Sponsor's Responsible Physical International Internat - Male subjects willing to use 2 effective method (unless anatomically sterile or where abstaining f line with the preferred and usual lifestyle of the sⁿ General Visibility Validation f Output field to (?) * field (?)) always on simple condition evaluates true on advanced condition evaluates true START.DM.DMSEX==1